

Wattle/Log Straw/Excelsior

Wattle/Logs are man made cylinders of *either* compressed, weed free straw *or* Aspen Excelsior fibers. **Wattle/Logs** are encased in High-Density Polyethylene, photodegradable netting. **Wattle/Logs** are a leading sediment control BMP that is more durable and lower profile than silt fence as well as a better aesthetic and design value.



Midwest Only

Proudly made in the USA near Denver, CO



Quick Look

- Dimensions 9 in x 25 ft - 12 in x variable lengths
- Netting High-Density Polyethylene
- UV Added UV stabilizer

Straw Wattle/Log Material Specifications				
PROPERTY	ENGLISH		METRIC	
	9 in	12 in	22.86 cm	30.48 cm
PHYSICAL				
Matrix Type	Straw (weed free)			
Mass/Unit Length	1.9 lbs/ft	2.75 lbs/ft	.09 kg/m	1.3 kg/m
Diameter	8-9 in	10.5-12 in	20-23 cm	26-30 cm
Length	25 ft	10 ft	7.6 m	3.08 m
		20 ft		6.096 m
Net Strand Thickness	0.0165 in	0.16 in	0.041 cm	0.04 cm
Netting Weight	0.81 oz/yd	1.21 oz/yd	25 g/m	37.5 g/m
Installed Free-Board Height	5.5-6.5 in	8-9 in	14-16.5 cm	20-23 cm
Mesh Opening	0.5 in		1.27 cm	
Stretch Width	12.5 in	21 in	31.75 cm	53.3 cm
Excelsior Wattle/Log Material Specifications				
PROPERTY	ENGLISH		METRIC	
	9 in	12 in	22.86 cm	30.48 cm
PHYSICAL				
Matrix Type	100% Aspen Excelsior Fiber			
Mass/Unit Length	2.5 lbs/ft	3.0 lbs/ft	3.7 kg/m	4.5 kg/m
Diameter	8-9 in	10.5-12 in	20-23 cm	26-30 cm
Length	25 ft	10 ft	7.6 m	3.08 m
		20 ft		6.096 m
Net Strand Thickness	0.0165 in	0.16 in	0.041 cm	0.04 cm
Netting Weight	0.81 oz/yd	1.21 oz/yd	25 g/m	37.5 g/m
Installed Free-Board Height	5.5-6.5 in	8-9 in	14-16.5 cm	20-23 cm
Mesh Opening	0.5 in		1.27 cm	
Stretch Width	12.5 in	21 in	31.75 cm	53.3 cm

Dispose of unit in accordance with applicable Federal, state and local environmental laws and regulations.

The user is solely responsible for the compliance with maintenance and disposal laws and regulations.

The manufacturer or seller assumes no responsibility for proper or improper maintenance or disposal.

Proudly made in the USA by:
Pollution Solution, Inc.

Phone (800) 808-1774
Fax (866) 990-1527

www.psibmp.com
info@psibmp.com

